



总经理  
General Manager



销售总监  
Sales Director



销售跟单  
Sales Assistant

**工厂地址：**

广东省中山市横栏镇环镇北路中创云谷W栋

**ADD:**

building W,Zhong chuang yungu,North Road,  
henglanhuan Town,Zhongshan City,Guangdong Province





## 公司简介

### COMPANY INTRODUCTION

广东鸿烁照明科技有限公司成立于2010年3月，注册资金500万。广东鸿烁照明科技有限公司专业LED制造商坐落于灯饰之都，横栏镇中创云谷智能制造产业新城，厂面积20000余平方米，公司员工百余人，鸿烁照明是专业LED制造商，主营LED面板灯，因为专注，所以我们更专业。

公司有强大的服务团队，技术实力雄厚，为客户提供优质的售后服务，有专业的产品研发的人员，为客户提供更好的产品。

广东鸿烁照明科技有限公司作为一个专注LED灯具平台，竭诚欢迎各界有志之士的加入，忠诚服务于八方朋友。

Guangdong HO SO LIGHTING CO.,LTD, was established in March 2010 with a registered capital of 5 million yuan. HO SO LIGHTING, as a professional LED manufacturer, located in the Lighting Capital, Zhongchuang Yungu intelligent manufacturing industry new town, Henglan Town, has a surface area of more than 20,000 square meters and more than 100 employees. HO SO LIGHTING is a professional LED manufacturer, which main business is LED panel light. Because of our dedication, we are more professional.

Our company has a strong service team, strong technical ability to provide the superior service for customers after sales. We have professional product development personnel to provide the best product to the customers.

GUANGDONG HO SO LIGHTING CO.,LTD, as a Professional LED Lighting platform, sincerely welcomes friends from all over the world to join us. Loyal service to all the friends.

## 企业资质 ENTERPRISE HONOR









Dip switch on the driver to convert  
3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire





本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain  
technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO   | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|-----------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-A-Y-HSXJ-009 | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-A-Y-HSXJ-018 | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-A-Y-HSXJ-024 | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-A-Y-HSXJ-036 | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



Dip switch on the driver to convert  
3CCT and wall switch to convert 3CCT



3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain  
technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO   | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|-----------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-A-Y-HSLX-009 | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-A-Y-HSLX-018 | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-A-Y-HSLX-024 | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-A-Y-HSLX-036 | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |





本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBU-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBU-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBU-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBU-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-HSX-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-HSX-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-HSX-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-HSX-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBO SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBO-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBO-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBO-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBO-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBP SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBP-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBP-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBP-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBP-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |






# HS-C-WBM SERIES

## LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBM-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBM-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBM-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBM-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

# HS-C-WBN SERIES





## LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBN-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBN-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBN-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBN-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |






## HS-C-WBK SERIES

LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert  
3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain  
technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBK-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBK-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBK-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBK-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

## HS-C-WBL SERIES



LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert  
3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain  
technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBL-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBL-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBL-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBL-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |





私模暗装圆形面板灯




本产品提供电镀、木纹、电泳、喷色等工艺  
 This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y003     | 3W          | 3000K-6000K | Φ84mm        | Φ64mm            | ≥80        | 35-45      | 15PCS*0.2W           | 120             |
| HS-A-Y006     | 6W          | 3000K-6000K | Φ119mm       | Φ110mm           | ≥80        | 60-70      | 30PCS*0.2W           | 120             |
| HS-A-Y009     | 9W          | 3000K-6000K | Φ144mm       | Φ125mm           | ≥80        | 65-75      | 45PCS*0.2W           | 60              |
| HS-A-Y012     | 12W         | 3000K-6000K | Φ169mm       | Φ148mm           | ≥80        | 70-80      | 60PCS*0.2W           | 60              |
| HS-A-Y018     | 18W         | 3000K-6000K | Φ222mm       | Φ197mm           | ≥80        | 80-90      | 90PCS*0.2W           | 40              |
| HS-A-Y024     | 24W         | 3000K-6000K | Φ296mm       | Φ271mm           | ≥80        | 80-90      | 120PCS*0.2W          | 20              |



私模暗装方形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
 This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-F003     | 3W          | 3000K-6000K | 85*85mm      | 68*68mm          | ≥80        | 35-45      | 15PCS*0.2W           | 120             |
| HS-A-F006     | 6W          | 3000K-6000K | 119*119mm    | 102*102mm        | ≥80        | 60-70      | 30PCS*0.2W           | 120             |
| HS-A-F009     | 9W          | 3000K-6000K | 145*145mm    | 127*127mm        | ≥80        | 65-75      | 45PCS*0.2W           | 60              |
| HS-A-F012     | 12W         | 3000K-6000K | 170*170mm    | 152*152mm        | ≥80        | 70-80      | 60PCS*0.2W           | 60              |
| HS-A-F018     | 18W         | 3000K-6000K | 225*225mm    | 202*202mm        | ≥80        | 80-90      | 90PCS*0.2W           | 40              |
| HS-A-F024     | 24W         | 3000K-6000K | 298*298mm    | 273*273mm        | ≥80        | 80-90      | 120PCS*0.2W          | 20              |




## HS-M-Y SERIES

### LED SURFACE ROUND PANEL LIGHT



私模暗装圆形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------|------------|----------------------|-----------------|
| HS-M-Y006     | 6W          | 3000K-6000K | Φ117mm       | ≥80        | 60-70      | 30PCS*0.2W           | 60              |
| HS-M-Y012     | 12W         | 3000K-6000K | Φ168mm       | ≥80        | 70-80      | 60PCS*0.2W           | 40              |
| HS-M-Y018     | 18W         | 3000K-6000K | Φ218mm       | ≥80        | 80-90      | 90PCS*0.2W           | 30              |
| HS-M-Y024     | 24W         | 3000K-6000K | Φ290mm       | ≥80        | 80-90      | 120PCS*0.2W          | 20              |

## HS-M-F SERIES

### LED SURFACE SQUARE PANEL LIGHT



私模暗装方形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------|------------|----------------------|-----------------|
| HS-M-F006     | 6W          | 3000K-6000K | Φ117mm       | ≥80        | 60-70      | 30PCS*0.2W           | 60              |
| HS-M-F012     | 12W         | 3000K-6000K | Φ168mm       | ≥80        | 70-80      | 60PCS*0.2W           | 40              |
| HS-M-F018     | 18W         | 3000K-6000K | Φ218mm       | ≥80        | 80-90      | 90PCS*0.2W           | 30              |
| HS-M-F024     | 24W         | 3000K-6000K | Φ290mm       | ≥80        | 80-90      | 120PCS*0.2W          | 20              |




## HS-Y-FXG SERIES

LED SLIM ROUND ANTI-DAZZLE DOWN LIGHT



私模暗装圆形防眩光



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-Y-FXG-005  | 5W          | 3000K-6000K | Φ90mm        | Φ75mm            | ≥80        | 40-50      | 25PCS*0.2W           | 100             |
| HS-Y-FXG-010  | 10W         | 3000K-6000K | Φ120mm       | Φ105mm           | ≥80        | 60-70      | 50PCS*0.2W           | 40              |
| HS-Y-FXG-016  | 16W         | 3000K-6000K | Φ170mm       | Φ155mm           | ≥80        | 80-90      | 80PCS*0.2W           | 40              |
| HS-Y-FXG-022  | 22W         | 3000K-6000K | Φ225mm       | Φ205mm           | ≥80        | 80-90      | 110PCS*0.2W          | 20              |

## HS-F-FXG SERIES

LED SLIM SQUARE ANTI-DAZZLE DOWN LIGHT



私模暗装方形防眩光



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO | 功率<br>POWER | 色温<br>CCT   | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-F-FXG-005  | 5W          | 3000K-6000K | 90*90mm      | 75*75mm          | ≥80        | 40-50      | 25PCS*0.2W           | 100             |
| HS-F-FXG-010  | 10W         | 3000K-6000K | 120*120mm    | 105*105mm        | ≥80        | 60-70      | 50PCS*0.2W           | 40              |
| HS-F-FXG-016  | 16W         | 3000K-6000K | 170*170mm    | 155*155mm        | ≥80        | 80-90      | 80PCS*0.2W           | 40              |
| HS-F-FXG-022  | 22W         | 3000K-6000K | 225*225mm    | 205*205mm        | ≥80        | 80-90      | 110PCS*0.2W          | 20              |



HS-A-Y-WBK SERIES  
LED SLIM ROUND PANEL LIGHT



无边框暗装圆形面板灯



| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-Y-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-Y-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 144PCS*0.2W          | 40              |
| HS-A-Y-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 252PCS*0.2W          | 30              |

HS-A-F-WBK SERIES  
LED SLIM SQUARE PANEL LIGHT



无边框暗装方形面板灯



| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-F-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-F-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-F-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 144PCS*0.2W          | 40              |
| HS-A-F-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 252PCS*0.2W          | 30              |



HS-A-Y-WBK SERIES  
LED SLIM ROUND PANEL LIGHT



无边框暗装圆形面板灯




| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-Y-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-Y-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 120PCS*0.2W          | 40              |
| HS-A-Y-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 216PCS*0.2W          | 30              |

HS-A-F-WBK SERIES  
LED SLIM SQUARE PANEL LIGHT



无边框暗装方形面板灯



| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-Y-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-Y-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 120PCS*0.2W          | 40              |
| HS-A-Y-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 216PCS*0.2W          | 30              |



HS-M-Y-WBK SERIES  
LED SLIM ROUND PANEL LIGHT



无边框明装圆形面板灯



| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-Y-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-Y-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 120PCS*0.2W          | 40              |
| HS-A-Y-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 216PCS*0.2W          | 30              |

HS-M-F-WBK SERIES  
LED SLIM SQUARE PANEL LIGHT



无边框明装方形面板灯




| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-WBK-009 | 9W          | Φ90mm        | Φ65mm            | ≥80        | 65-75      | 45PCS*0.2W           | 100             |
| HS-A-Y-WBK-018 | 18W         | Φ120mm       | Φ100mm           | ≥80        | 75-85      | 90PCS*0.2W           | 60              |
| HS-A-Y-WBK-024 | 24W         | Φ170mm       | Φ150mm           | ≥80        | 75-85      | 120PCS*0.2W          | 40              |
| HS-A-Y-WBK-036 | 36W         | Φ225mm       | Φ200mm           | ≥80        | 85-95      | 216PCS*0.2W          | 30              |





满天星暗装圆形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
 This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-DFG-009 | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 80-90      | 14PCS*0.2W           | 100             |
| HS-A-Y-DFG-018 | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 80-90      | 24PCS*0.2W           | 60              |
| HS-A-Y-DFG-024 | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 90-100     | 36PCS*0.2W           | 60              |
| HS-A-Y-DFG-036 | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 90-100     | 48PCS*0.2W           | 40              |



ETL暗装圆形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
 This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-A-ETL-9    | 9W          | Φ120mm*4inch | Φ105             | ≥80        | 70-90      | 客定              |
| HS-A-ETL-12   | 12W         | Φ170mm*6inch | Φ155             | ≥80        | 70-90      | 客定              |
| HS-A-ETL-15   | 15W         | Φ170mm*6inch | Φ155             | ≥80        | 70-90      | 客定              |
| HS-A-ETL-18   | 18W         | Φ225mm*8inch | Φ205             | ≥80        | 70-90      | 客定              |



## HS-A-Y-DFG SERIES

LED SLIM ROUND DOWN LIGHT



底发光暗装圆形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-DFG-007 | 7W          | Φ100mm       | Φ70-80mm         | ≥80        | 80-90      | 14PCS*0.2W           | 100             |
| HS-A-Y-DFG-012 | 12W         | Φ120mm       | Φ90-100mm        | ≥80        | 80-90      | 24PCS*0.2W           | 60              |
| HS-A-Y-DFG-015 | 15W         | Φ145mm       | Φ115-125mm       | ≥80        | 80-90      | 30PCS*0.2W           | 60              |
| HS-A-Y-DFG-018 | 18W         | Φ170mm       | Φ140-150mm       | ≥80        | 90-100     | 36PCS*0.2W           | 60              |
| HS-A-Y-DFG-024 | 24W         | Φ225mm       | Φ190-200mm       | ≥80        | 90-100     | 48PCS*0.2W           | 40              |

## HS-A-F-DFG SERIES

LED SLIM SQUARE DOWN LIGHT



底发光暗装方形面板灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO  | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|----------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-F-DFG-007 | 7W          | Φ100mm       | Φ70-80mm         | ≥80        | 80-90      | 14PCS*0.2W           | 100             |
| HS-A-F-DFG-012 | 12W         | Φ120mm       | Φ90-100mm        | ≥80        | 80-90      | 24PCS*0.2W           | 60              |
| HS-A-F-DFG-015 | 15W         | Φ145mm       | Φ115-125mm       | ≥80        | 80-90      | 30PCS*0.2W           | 60              |
| HS-A-F-DFG-018 | 18W         | Φ170mm       | Φ140-150mm       | ≥80        | 90-100     | 36PCS*0.2W           | 60              |
| HS-A-F-DFG-024 | 24W         | Φ225mm       | Φ190-200mm       | ≥80        | 90-100     | 48PCS*0.2W           | 40              |




## HS-A-Y-AD SERIES

LED SLIM ROUND DOWN LIGHT



AD暗装圆形筒灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-AD-007 | 7W          | Φ95mm        | Φ70-88mm         | ≥80        | 45-55      | 20PCS*0.2W           | 100             |
| HS-A-Y-AD-010 | 10W         | Φ120mm       | Φ90-115mm        | ≥80        | 65-75      | 34PCS*0.2W           | 100             |
| HS-A-Y-AD-015 | 15W         | Φ145mm       | Φ110-140mm       | ≥80        | 75-85      | 46PCS*0.2W           | 60              |
| HS-A-Y-AD-020 | 20W         | Φ175mm       | Φ130-170mm       | ≥80        | 85-95      | 69PCS*0.2W           | 60              |
| HS-A-Y-AD-025 | 25W         | Φ220mm       | Φ175-215mm       | ≥80        | 85-95      | 96PCS*0.2W           | 40              |

## HS-M-Y-AD SERIES

LED SLIM ROUND DOWN LIGHT



AD明装圆形筒灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-A-Y-AD-007 | 7W          | Φ95mm        | Φ70-88mm         | ≥80        | 45-55      | 20PCS*0.2W           | 100             |
| HS-A-Y-AD-010 | 10W         | Φ120mm       | Φ90-115mm        | ≥80        | 65-75      | 34PCS*0.2W           | 100             |
| HS-A-Y-AD-015 | 15W         | Φ145mm       | Φ110-140mm       | ≥80        | 75-85      | 46PCS*0.2W           | 60              |
| HS-A-Y-AD-020 | 20W         | Φ175mm       | Φ130-170mm       | ≥80        | 85-95      | 69PCS*0.2W           | 60              |
| HS-A-Y-AD-025 | 25W         | Φ220mm       | Φ175-215mm       | ≥80        | 85-95      | 96PCS*0.2W           | 40              |



HS-A-Y-DGN SERIES  
LED SLIM ROUND DOWN LIGHT



多功能筒灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden ) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 灯珠数量<br>2835LED CHIP | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|----------------------|-----------------|
| HS-Y-DGN-008  | 8W          | Φ120mm       | Φ65-105mm        | ≥80        | 100-110    | 45PCS*0.2W           | 100             |
| HS-Y-DGN-018  | 18W         | Φ170mm       | Φ65-150mm        | ≥80        | 100-110    | 100PCS*0.2W          | 60              |
| HS-Y-DGN-024  | 24W         | Φ225mm       | Φ85-205mm        | ≥80        | 100-110    | 225PCS*0.2W          | 60              |

HS-A-Y-DL SERIES  
LED SLIM ROUND DOWN LIGHT



COB筒灯



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden ) wood grain technology, spray technology (black, silver, yellow)




| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 光源<br>LIGHT SOURCE | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|--------------------|-----------------|
| HS-A-Y-DL-007 | 7W          | Φ100mm       | Φ70-80mm         | ≥80        | 80-90      | COB                | 100             |
| HS-A-Y-DL-010 | 10W         | Φ120mm       | Φ90-100mm        | ≥80        | 80-90      | COB                | 60              |
| HS-A-Y-DL-015 | 15W         | Φ145mm       | Φ115-125mm       | ≥80        | 80-90      | COB                | 60              |
| HS-A-Y-DL-020 | 20W         | Φ170mm       | Φ140-150mm       | ≥80        | 90-100     | COB                | 60              |
| HS-A-Y-DL-030 | 30W         | Φ225mm       | Φ190-200mm       | ≥80        | 90-100     | COB                | 40              |



HS-C-WBA SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)




| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBA-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBA-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBA-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBA-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBB SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBB-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBB-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBB-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBB-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBC SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)


| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBC-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBC-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBC-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBC-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBD SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)





| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBD-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBD-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBD-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBD-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBE SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBE-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBE-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBE-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBE-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBF SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)





| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBF-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBF-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBF-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBF-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBG SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBG-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBG-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBG-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBG-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBH SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)




| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBH-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBH-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBH-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBH-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |





## HS-C-WBI SERIES

### LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺

This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBI-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBI-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBI-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBI-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

## HS-C-WBJ SERIES

### LED SLIM SQUARE DOWN LIGHT





Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT

3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺

This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)





| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBJ-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBJ-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBJ-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBJ-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBQ SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)



| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBQ-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBQ-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBQ-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBQ-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBR SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire

本产品提供电镀、木纹、电泳、喷色等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)





| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBR-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBR-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBR-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBR-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |



HS-C-WBS SERIES  
LED SLIM ROUND DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷漆等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBS-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBS-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBS-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBS-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |

HS-C-WBT SERIES  
LED SLIM SQUARE DOWN LIGHT



Dip switch on the driver to convert 3CCT and wall switch to convert 3CCT  
3CCT: Dip switch on the wire



本产品提供电镀、木纹、电泳、喷漆等工艺  
This product provide electroplate technology (nickel, copper, black, golden) wood grain technology, spray technology (black, silver, yellow)

| 型号<br>INTM NO | 功率<br>POWER | 面径尺寸<br>SIZE | 开孔尺寸<br>HOLESIZE | 显色指数<br>Ra | 流明<br>LM/W | 每箱数量<br>PCS/CTN |
|---------------|-------------|--------------|------------------|------------|------------|-----------------|
| HS-C-WBT-009  | 9W          | Φ100mm       | Φ60-80mm         | ≥80        | 100-120    | 100             |
| HS-C-WBT-018  | 18W         | Φ120mm       | Φ60-105mm        | ≥80        | 100-120    | 60              |
| HS-C-WBT-024  | 24W         | Φ170mm       | Φ60-155mm        | ≥80        | 100-120    | 60              |
| HS-C-WBT-036  | 36W         | Φ225mm       | Φ60-205 mm       | ≥80        | 100-120    | 40              |